



ROLLON
SCREENS

Finest insect screen systems

PRODUCT CATALOGUE 2026

Insect screens for every opening.

Retractable, pleated, motorized, sliding, security and Italian-range screens — engineered, manufactured and installed across India by Rollon Overseas.

rollonscreens.com

+91 95990 25027 · sales@rollonscreens.com

28 products · 8 ranges

Contents

RETRACTABLE

Manual Zip Screens	4
Rollup Screens	5
Sideways Screens	6
Span-X Screens	7
Zipline Roller Screens	8

PLEATED

Barrier Free Pleated Screens	9
Pleated Screens	10
Premium Pleated Screens	11
Slim-Line Pleated Screen	12
Ultra Slim Pleated Screen	13

MOTORIZED

Motorized Screens	14
-------------------------	----

SLIDING

Casement Screen	15
Sliding Screens	16
SS Screens	17

SECURITY

304 Security Mesh	18
Security Casement Screen	19
Security Sliding Screens	20

ITALIAN RANGE

Italian Screens	21
SCENICA®	22
SCENIpro®	23

SPECIALTY

Fixed Screens	24
---------------------	----

MESH & NETTING

Anti Pollen Screens	25
Fiber Mesh	26
Honeycomb Pleated Mesh	27
Nettings	28
Polyester Pleated Mesh	29
SS Mesh 304 Black	30
SS Pleated Mesh	31

Our ranges

Every Rollon system is made to measure. Use this overview to find the family that suits the opening, then turn to the product page for specifications and size ranges.

Retractable

p. 4

Spring, chain and pull-down insect screens that retract out of sight when not in use.

Manual Zip Screens · Rollup Screens · Sideways Screens · Span-X Screens · Zipline Roller Screens

Pleated

p. 9

Fold-away pleated insect screens for wide horizontal openings and bi-fold doors.

Barrier Free Pleated Screens · Pleated Screens · Premium Pleated Screens · Slim-Line Pleated Screen · Ultra Slim Pleated Screen

Motorized

p. 14

One-touch motorized screens with zip technology and up to 98% UV control.

Motorized Screens

Sliding

p. 15

Inline sliding insect screens for patios and large Lift & Slide doors.

Casement Screen · Sliding Screens · SS Screens

Security

p. 18

Reinforced 304 stainless steel screens that stop intruders and insects alike.

304 Security Mesh · Security Casement Screen · Security Sliding Screens

Italian Range

p. 21

European-engineered insect screens with refined profiles for large openings.

Italian Screens · SCENICA® · SCENIpro®

Specialty

p. 24

Purpose-built screens for specific needs, from anti-pollen to casement systems.

Fixed Screens

Mesh & Netting

p. 25

The insect-screen mesh and netting fabrics behind every Rollon system.

Anti Pollen Screens · Fiber Mesh · Honeycomb Pleated Mesh · Nettings · Polyester Pleated Mesh · SS Mesh 304 Black · SS Pleated Mesh

Manual Zip Screens

Manual Zip Screens for Insect & Sun Control



Manual Zip Screens are a high-performance insect and sun-protection system for larger indoor and outdoor openings. Zip technology gives high wind resistance with anti-sag and anti-scatter performance, while the powder-coated aluminium cassette suits both internal and external installation.

WHY CHOOSE IT

- ✓ **Retractable Design**
Rolls out of sight into the cassette when not in use.
- ✓ **Energy Efficient**
Reduces heat and light penetration for a cooler interior.
- ✓ **Dual Protection**
Blocks up to 55% of UV rays and keeps insects out.
- ✓ **Zip Technology**
High wind resistance with anti-sag and anti-scatter features.
- ✓ **Durable Housing**
Powder-coated aluminium cassette for internal and external use.
- ✓ **Pet Friendly**
Tough enough for homes with pets and high-traffic areas.

FEATURES

- Manual operation, ideal for larger openings
- Blocks up to 55% of UV rays
- Zip technology for high wind resistance
- Anti-sag and anti-scatter mesh
- Powder-coated aluminium cassette for indoor/outdoor use
- Pet-friendly, durable construction

SPECIFICATIONS

OPERATION	Manual
UV REDUCTION	Up to 55%
WIND SYSTEM	Zip technology (anti-sag, anti-scatter)
HOUSING	Powder-coated aluminium cassette
USE	Internal & external

SIZE RANGES

SIZE RANGE		
W / H	WIDTH	HEIGHT
Minimum	1000 mm	1000 mm
Maximum	2000 mm	2400 mm

Rollup Screens

Spring-Loaded Rollup Insect Screens



Rollup Screens offer insect protection that fits your home's look. These spring-loaded retractable systems store away in a smart, unobtrusive cassette when not in use, preserving your views and open feel.

WHY CHOOSE IT

- ✓ **Concealed Comfort**
Screens stay out of sight until needed, keeping your space clean.
- ✓ **Enhanced Safety**
A safety brake gives spring-loaded screens controlled operation.
- ✓ **Full Ventilation**
PVC-coated fibreglass mesh combines airflow with durable insect defence.
- ✓ **Secure Mesh**
A unique retention system holds the screen taut for a sleek finish.
- ✓ **Easy Install**
Purpose-built fasteners make front and side fixing quick.

FEATURES

- Remains out-of-sight until needed
- Enhanced locking with standard slow drive technique
- PVC-coated fiberglass mesh for full ventilation and durability
- Holds screens tightly in place with its unique mesh retention system
- Easy front and side fixing installation with specially designed fasteners

SPECIFICATIONS

MOVEMENT	Vertical
NET MATERIAL	Fiber Glass
INSTALLATION	Recessed & Front Mounted
TECHNOLOGY	Spring With Hydraulic Brake
OPENING TYPE	Top to bottom

SIZE RANGES

FIBRE MESH

W / H	WIDTH	HEIGHT
Minimum	450 mm	450 mm
Maximum	1600 mm	1800 mm

*If width is 400–450 mm, maximum height is 1000 mm.

SUPER SCREEN (USA)

W / H	WIDTH	HEIGHT
Minimum	450 mm	450 mm
Maximum	1500 mm	1200 mm

Sideways Screens

Sideways Retractable Screens for Big Openings



Sideways Screens are a retractable system that protects against insects without spoiling your home's look. Made for oversized doors and windows where standard screens fall short, they glide into a sleek cassette when not in use, keeping views and architecture intact.

WHY CHOOSE IT

- ✓ **Seamless Integration**
Disappears into a smart cassette to preserve your home's look.
- ✓ **Effortless Operation**
A bearing-enabled slide gives smooth push-in, pull-out movement.
- ✓ **Unobtrusive Design**
Stays out of sight for full ventilation and clear views.
- ✓ **Durable Mesh**
High-grade PVC-coated fibreglass mesh adds tensile strength and life.
- ✓ **Big Openings**
Ideal for oversized doors and windows standard screens can't cover.

FEATURES

- Bearing enabled slide for smooth operation
- Innovative, consumer-driven design and styling
- Good tensile strength against deformation
- Remains out-of-sight until needed
- Allows full ventilation and durability
- PVC-coated fiberglass mesh
- Available in DIY Kit

SPECIFICATIONS

MODEL	TH-73
MOVEMENT	Horizontal
NET	Fiber Glass
INSTALLATION	Recessed Mounted
TECHNOLOGY	Spring and brake mechanism
OPENING TYPE	Left To Right / Right To Left and Center Opening

SIZE RANGES

SINGLE PANEL

W / H	WIDTH	HEIGHT
Minimum	600 mm	1600 mm
Maximum	3000 mm	3000 mm

DOUBLE PANEL

W / H	WIDTH	HEIGHT
Minimum	1200 mm	1600 mm
Maximum	6000 mm	3000 mm

Span-X Screens

Span-X Retractable Screens up to 13m Wide



Span-X Screens are retractable insect screens that merge indoor and outdoor space. Built for large openings, they deliver unobstructed views and effortless operation, with a concealed design and advanced features that suit any architectural style.

WHY CHOOSE IT

- ✓ **Corner Retractable**
A slim 12.5mm profile and concealed handle cover extensive openings.
- ✓ **Wide Coverage**
Single panels span 6.5m and double panels reach 13m — the market's largest.
- ✓ **Handle Brake**
A handle brake stops the screen exactly where you want it.
- ✓ **Zip-Line Tech**
Zip-line technology gives a high wind rating and stable, durable use.
- ✓ **Open-Concept Living**
Horizontal screens complement and enhance open-plan spaces.

FEATURES

- Auto-Stop feature automatically halts the screen when the handle is released, ensuring ease of use.
- Low-profile track seamlessly integrates with any application, maintaining an uncluttered aesthetic.
- No visible fasteners, providing a harmonious and clean appearance in any architectural setting.
- Accommodates large openings with a double panel spanning up to 13 meters wide.
- Nettings are vinyl coated with Zip technology for enhanced durability and performance.
- Floating track provides automatic compensation across the entire opening for a consistent fit.
- Patented flush handle design improves aesthetics and offers increased clearance.
- Captured edge technology securely locks the screen in place with Zip technology.
- Horizontal sliding mechanism with a spring for smooth and effortless operation.

SPECIFICATIONS

MOSQUITO NET PROFILE	12.5mm
MAX SINGLE PANEL WIDTH	6.5 meters
MAX DOUBLE PANEL WIDTH	13 meters
BOTTOM TRACK	12mm

Zipline Roller Screens

Zipline Roller Screens for High-Wind Coasts



Zipline Roller Screens are built for locations where wind pressure is high, such as coastal balconies and open facades. A ZIP resistance system locks the ultra-fine mesh into the side guides, so the screen stays taut and retracts cleanly into its cassette when not in use — combining strength, clear views and ventilation.

WHY CHOOSE IT

- ✓ **Wind Resistant**
A ZIP resistance system locks the mesh into the side guides for coastal, high-wind sites.
- ✓ **Retractable Design**
The screen rolls back into a slim cassette when not in use.
- ✓ **Ultra-Fine Mesh**
High-grade extra-fine mesh adds strength while keeping airflow high.
- ✓ **Crystal-Clear View**
Minimal distortion preserves the outward view.
- ✓ **Seamless Aesthetics**
A sleek profile integrates neatly with any window frame.
- ✓ **Flexible Installation**
Mounts on Tilt & Turn, in-swing and out-swing windows with custom fasteners.

FEATURES

- ZIP mesh resistance system keeps the mesh from pulling out of the side guide
- Retracts fully into the cassette when not in use
- Extra-fine high-grade mesh for strength and ventilation
- Sleek profile that integrates with any window frame
- Suitable for coastal areas with high wind pressure
- Mounts on Tilt & Turn, in-swing and out-swing windows

SPECIFICATIONS

MOVEMENT	Vertical (roller)
MESH	Ultra-fine high-grade mesh
WIND SYSTEM	ZIP mesh resistance
INSTALLATION	Tilt & Turn, in-swing & out-swing with custom fasteners

SIZE RANGES

SIZE RANGE		
W / H	WIDTH	HEIGHT
Minimum	450 mm	450 mm
Maximum	1200 mm	1500 mm

Barrier Free Pleated Screens

Barrier-Free Pleated Screens, 3mm Flat Track



The Barrier Free Pleated Screen pairs insect protection with easy access. Imported folding nets give high tensile strength and resist deformation, while a caterpillar-shaped bottom track retracts with the mesh to leave the entryway clear.

WHY CHOOSE IT

- ✓ **Effortless Passage**
A discreet 3mm track makes stepping through easy and safe for everyone.
- ✓ **Seamless Integration**
Fits any opening, including narrow frames, without standing out.
- ✓ **Durable Design**
Reinforced mesh and retention tech keep the screen stable for years.
- ✓ **Wind Resistant**
Resists sagging in wind and springs back to its original shape.

FEATURES

- Reinforced pleated mesh combined with special mesh retention technology and sill-tracking guide keeps the mesh in position.
- Resists sagging in windy conditions and easily returns to shape.
- Easily fixed with existing door frame due to its low profile housing.
- Good tensile strength against deformation.
- No roller tracks to trip over, with a mere 3mm flat bottom track for safe entry and exit.
- Screen panel can be stopped at any point along the single track for safe manual operation.

SPECIFICATIONS

MOVEMENT	Horizontal
NET	PP / Block-Out Fabric
INSTALLATION	Recessed & Front Mounted
TECHNOLOGY	Poly-Thread mechanism
OPENING TYPE	Left To Right / Right To Left and Center Opening

SIZE RANGES

BARRIER FREE - SINGLE PANEL


W / H	WIDTH	HEIGHT
Min (Size)	500 mm	1000 mm
Max (Size)	1200 mm	3200 mm

BARRIER FREE - DOUBLE PANEL

W / H	WIDTH	HEIGHT
Min (Size)	1000 mm	1000 mm
Max (Size)	2400 mm	3200 mm

Pleated Screens

Pleated Insect Screens for Wide Openings



Rollon's pleated screen systems fit any door or window and protect against insects while lifting the look of your space. Their retractable design folds the mesh away neatly, adding convenience, versatility, and durability.

WHY CHOOSE IT

- ✓ **Unobtrusive Design**
Blends into existing doors and windows for discreet protection.
- ✓ **Effortless Operation**
Extend when needed and fold away for an uncompromised view.
- ✓ **Wide Coverage**
The largest single-span coverage, ideal for bi-fold doors and big windows.
- ✓ **Barrier-Free Access**
Low-profile tracks give smooth, step-free passage for everyone.
- ✓ **Refined Look**
Elegant pleated mesh adds a touch of sophistication to any style.

FEATURES

- Pleated mesh retracts into a slim housing when not in use.
- Surface-mounted design for easy integration with narrow frames.
- Durable construction ensures long-lasting performance.
- Available in various configurations to suit different door and window types.
- Provides excellent ventilation while keeping insects out.
- Easy to clean and maintain.
- Child and pet-friendly operation.

SPECIFICATIONS

MOVEMENT	Horizontal
NET	PP mesh
INSTALLATION	Recessed & Front Mounted
BOTTOM TRACK OPTIONS	16 mm / 43 mm
OPENING TYPE	Left to Right / Right to Left and Centre Opening

SIZE RANGES

SINGLE PANEL

W / H	WIDTH	HEIGHT
Minimum	300 mm	450 mm
Maximum	1500 mm	3700 mm


DOUBLE PANEL

W / H	WIDTH	HEIGHT
Minimum	600 mm	450 mm
Maximum	3000 mm	3700 mm

*Maximum possible width for 4 panels is 6000 mm.

Premium Pleated Screens

Premium Pleated Screens with 40mm Wind Track



Premium Pleated Screens keep insects out while enhancing your home's look. The pleated mesh retracts into a sliding bar for decorative, practical protection, and discreet bottom tracks plus a robust build let you move through freely and stand up to high winds.

WHY CHOOSE IT

- ✓ **Clean Look**
Screens retract fully for a clear view and blend with your decor.
- ✓ **Effortless Passage**
Discreet 8, 25, or 40mm bottom tracks make doorways easy to cross.
- ✓ **Wind Resistance**
The 40mm bottom track resists high wind pressure for stability.
- ✓ **Quality Mesh**
Imported folding net with anti-friction, high-grade pleated mesh.

FEATURES

- Adopting new structure "8mm bottom track" with longer service life for low threshold doors.
- Selection of 8mm, 25mm, and 40mm bottom track is possible with its unique design.
- The imported folding net boasts excellent anti-friction capability and high-grade pleated mesh.
- Offers good tensile strength against deformation for enhanced durability.
- Optional special retention clips and sill-tracking guides keep the mesh securely in position.
- Specially designed 40mm bottom track resists mesh from coming out in windy conditions.

SPECIFICATIONS

MOVEMENT	Horizontal
NET	PP / Block-Out Fabric
INSTALLATION	Recessed & Front Mounted
TECHNOLOGY	Poly-Thread mechanism
OPENING TYPE	Left To Right / Right To Left and Center Opening

SIZE RANGES

PLEATED — SINGLE PANEL

W / H	WIDTH	HEIGHT
Minimum	300 mm	450 mm
Maximum	1500 mm	3700 mm

PLEATED — DOUBLE PANEL

W / H	WIDTH	HEIGHT
Minimum	600 mm	450 mm
Maximum	3000 mm	3700 mm

PLEATED — FOUR PANELS

W / H	WIDTH	HEIGHT
Minimum	1200 mm	450 mm
Maximum	6000 mm	3700 mm

FABRIC — SINGLE PANEL

W / H	WIDTH	HEIGHT
Minimum	300 mm	450 mm
Maximum	1500 mm	3000 mm

FABRIC — DOUBLE PANEL

W / H	WIDTH	HEIGHT
Minimum	600 mm	450 mm
Maximum	3000 mm	3000 mm

Slim-Line Pleated Screen

Slim-Line Pleated Screen, 25mm Frame



The Slim-Line Pleated Screen suits modern homes with its ultra-narrow 25mm frame and minimal obstruction. The pleated net retracts smoothly into the sliding bar for wide panoramic views, plenty of daylight, and a fit that meets diverse architectural needs.

WHY CHOOSE IT

- ✓ **Ultra-Narrow Frame**
A 25mm frame maximises your view in modern homes.
- ✓ **Smooth Retraction**
The pleated net folds neatly into the sliding bar.
- ✓ **Panoramic Views**
Wide, unobstructed views with plenty of natural light.
- ✓ **Architectural Fit**
The narrow-frame series suits diverse architectural needs.

FEATURES

- Imported folding net with excellent anti-friction capability and high-grade pleated mesh
- Good tensile strength against deformation
- Optional special retention clips and sill-tracking guide keep the mesh in position
- Specially designed bottom track resists mesh from coming out in windy conditions
- Easy installation with specially designed corners
- Special narrow frame series satisfies any architectural requirements

SPECIFICATIONS

MOVEMENT	Horizontal
NET	PP mesh
INSTALLATION	Recessed & Front Mounted
TECHNOLOGY	Poly-Thread mechanism
OPENING TYPE	Left To Right / Right To Left and Center Opening

SIZE RANGES

PLEATED WINDOW/DOOR SCREEN – SINGLE PANEL


W / H	WIDTH	HEIGHT
Min (Size)	300 mm	450 mm
Max (Size)	1500 mm	3200 mm

PLEATED WINDOW/DOOR SCREEN –DOUBLE PANEL

W / H	WIDTH	HEIGHT
Min (Size)	600 mm	450 mm
Max (Size)	3000 mm	3200 mm

Ultra Slim Pleated Screen

Ultra Slim Pleated Screens for Large Openings



Ultra Slim Pleated Screens offer a foldable mesh system designed for large openings. They provide smooth sideways movement, minimal visual obstruction and unobtrusive integration into modern interiors and facades.

WHY CHOOSE IT

- ✓ **Slim Profile**
A minimal-border profile keeps the screen discreet in modern interiors.
- ✓ **Effortless Operation**
Smooth sideways glide for easy daily use.
- ✓ **Large Openings**
Suitable for wide door openings and balconies.
- ✓ **Unobstructed Views**
Foldable mesh keeps the outlook clear.

FEATURES

- Sleek foldable pleated mesh
- Smooth sideways movement
- Suitable for large door openings and balconies
- Minimal visual obstruction
- Unobtrusive integration into modern facades

SPECIFICATIONS

MOVEMENT	Horizontal (sideways)
NET	Pleated mesh
PROFILE	Ultra-slim

SIZE RANGES

SINGLE PANEL


W / H	WIDTH	HEIGHT
Minimum	300 mm	400 mm
Maximum	1500 mm	1800 mm

DOUBLE PANEL

W / H	WIDTH	HEIGHT
Minimum	600 mm	400 mm
Maximum	2800 mm	1800 mm

Motorized Screens

One-Touch Motorized Insect & Shade Screens



Rollon Motorized Screens combine long-lasting protection with everyday flexibility. Their modern design keeps the mesh nearly invisible for maximum transparency, and they stand out for quality, stability, ease of use, and durability.

WHY CHOOSE IT

- ✓ **Nearly Invisible**
Maximum-transparency mesh makes the screen barely noticeable.
- ✓ **Flexible Fit**
Made to measure for almost any window, door, or wide opening.
- ✓ **Better Living**
High air permeability keeps indoor air fresh and insect-free.
- ✓ **Effortless Operation**
Electric or manual control for insect screening and light management.
- ✓ **Wind Resistant**
Zip-fastener technology holds the screen firm even in high winds.

FEATURES

- Zip fastener technology suitable for regions with strong winds
- Motorized and manual operation with chain is possible
- Transparency and complete shading possible
- Guidance
- Modular design for simple, economical installation
- Made to measure for individual needs
- High air permeability and weather resistance
- Reduces sun and UV radiation by up to 98%

SPECIFICATIONS

OPERATION	Motorized (remote), with manual chain option
CONTROLS	Remote-controlled motor, wall switch & emitter
LOCKING	Wind-resistant locking
UV REDUCTION	Up to 98%

VARIANTS

- **Standard** — Compact 80 mm cassette for smaller spaces. Maximum size 3000 mm (W) × 3000 mm (H).
- **Premium** — 110 mm cassette balancing size and elegance for medium-to-large openings. Maximum 4000 mm × 3200 mm.
- **Luxury** — Robust 130 mm cassette for the largest spans on wide patios and balconies. Maximum 5800 mm × 3200 mm.
- **Blackout** — Blackout motorized fabric for shade and privacy. Maximum 2500 mm × 2500 mm.

Casement Screen

Casement Insect Screens for Hinged Doors



Casement Screens keep insects out of entrance and balcony doors without spoiling their look. They mount neatly onto any in-swing or out-swing door frame, giving a discreet, effective barrier at your home's entrances.

WHY CHOOSE IT

- ✓ **Versatile Movement**
Works with both in-swing and out-swing door configurations.
- ✓ **Mesh Options**
Choose 304 stainless, fibreglass, or Super Screen mesh to suit the opening.
- ✓ **Clean Installation**
Recessed or front-mounted fitting keeps the look integrated.
- ✓ **Robust Build**
Corner cleat and screwing construction adds stability and durability.
- ✓ **Easy Operation**
A reliable hinged mechanism makes daily use simple.

FEATURES

- Effortless insect protection for your home
- Maintains the aesthetic appeal of your existing doors
- Customizable netting options for different needs
- Secure and stable mounting to door frames
- Reliable hinged opening mechanism
- Suitable for both entrance and balcony doors

SPECIFICATIONS

MOVEMENT	Inswing / Outswing
NET OPTIONS	304 SS black coated mesh, Fiber Glass, Super Screen
INSTALLATION	Recessed & Front Mounted
TECHNOLOGY	Corner cleat and screwing
OPENING TYPE	Hinged

SIZE RANGES

SINGLE PANEL

W / H	WIDTH	HEIGHT
Minimum	450 mm	450 mm
Maximum	1200 mm	3000 mm

DOUBLE PANEL

W / H	WIDTH	HEIGHT
Minimum	1000 mm	1000 mm
Maximum	2400 mm	3000 mm

Sliding Screens

Sliding Insect Screens for Patios & Wide Doors



Rollon Sliding Screens offer practical insect protection without compromising your view. They glide effortlessly on large lift-and-slide doors and many window layouts, pairing sleek design with fresh air and natural light while keeping pests out.

WHY CHOOSE IT

- ✓ **Custom Fit**
Made to fit any door or window, including large Lift & Slide Doors.
- ✓ **Effortless Operation**
Smooth inline sliding gives easy, convenient access.
- ✓ **Mesh Options**
Choose 304 stainless, fibreglass, or Super Screen mesh.
- ✓ **Versatile Fit**
Recessed or front-mounted to match existing structures.
- ✓ **Robust Build**
Corner cleat and screwing construction add strength and security.

FEATURES

- Suitable for large Lift & Slide Doors & Sliding Doors
- Inline sliding movement for ease of use
- Multiple mesh options: 304 SS black coated, Fiber Glass, and Super Screen
- Recessed and front-mounted installation choices
- Constructed with corner cleat and screwing technology for stability
- Keeps insects out while allowing fresh air circulation
- Maintains an unobstructed view

SPECIFICATIONS


MOVEMENT	Inline Sliding
NET MATERIAL	304 SS black coated mesh, Fiber Glass & Super Screen
INSTALLATION	Recessed & Front Mounted
TECHNOLOGY	Corner cleat and screwing
OPENING TYPE	Sliding

SIZE RANGES

SINGLE PANEL		
W / H	WIDTH	HEIGHT
Minimum	450 mm	450 mm
Maximum	1200 mm	3000 mm
DOUBLE PANEL		
W / H	WIDTH	HEIGHT
Minimum	1000 mm	1000 mm
Maximum	2400 mm	3000 mm

SS Screens

SS Sliding Screens in 304 Stainless Mesh



SS Screens enhance your living spaces with protection that doesn't sacrifice looks. Precision-built to integrate with existing doors and windows, they keep the outside view clear while holding back pests and intruders.

WHY CHOOSE IT

- ✓ **Unobtrusive Design**
A sleek, low-profile design blends with your home's architecture.
- ✓ **Superior Durability**
304-grade stainless steel mesh and aluminium frames resist the elements.
- ✓ **Enhanced Security**
Robust protection against insects and would-be intruders.
- ✓ **Versatile Fit**
Fits many doors and windows, including large Lift & Slide Doors.
- ✓ **Effortless Operation**
Smooth, reliable movement makes daily use easy for everyone.

FEATURES

- Seamless integration with existing door and window frames.
- High-strength 304 Grade Stainless Steel Mesh for optimal security and visibility.
- Durable extruded aluminum perimeter framing for enhanced longevity.
- Suitable for a wide range of applications, including sliding doors, casement windows, and fixed installations.
- Provides excellent airflow while preventing insect entry.
- Offers clear, unobstructed views for an enhanced living experience.
- Low maintenance and easy to clean, ensuring lasting appeal.

SPECIFICATIONS

FRAME MATERIAL	Extruded Aluminum
MESH MATERIAL	304 Grade Stainless Steel Mesh
SCREEN TYPE	Sliding, Casement, Fixed

304 Security Mesh

304 Stainless Security Mesh for Doors & Windows



The 304 Security Mesh secures your home or business without hiding the view. Made from marine-grade T304 stainless steel, it is far stronger than aluminium or steel grilles, blocking intruders while keeping the outlook clear and the air moving.

WHY CHOOSE IT

- ✓ **Unrivaled Strength**
Marine-grade T304 stainless steel is far stronger than conventional grilles.
- ✓ **Enhanced Ventilation**
Open airflow cuts reliance on air conditioning and lowers energy bills.
- ✓ **Clear Views**
Fine mesh obscures far less than aluminium grilles, keeping the outlook sharp.
- ✓ **Insect Protection**
Keeps flies and mosquitoes out so you can open up for fresh air.
- ✓ **Corrosion Resistance**
A unique retention system resists corrosion for long-lasting durability.
- ✓ **Easy Installation**
Fits a range of openings as a straightforward security upgrade.

FEATURES

- Stronger than aluminum/steel grille alternatives
- Less visual obscurity than aluminum grille alternatives
- Allows screening of large openings and patios
- Mesh material made from Marine Grade T304 stainless steel
- Unique mesh retention system to avoid corrosion
- Reduces energy costs by facilitating natural ventilation
- Keeps out intruders
- Seasonal living with enhanced comfort

SPECIFICATIONS

MESH MATERIAL	Marine Grade T304 Stainless Steel
CORROSION PROTECTION	Unique mesh retention system

SIZE RANGES

SECURITY MESH-0.8MM

MESH COUNT SIZE	11
WIRE DIA	0.8mm
COLOUR	Black
AVAILABILITY	Sheets only
SIZES	3ft x 8ft
	4ft x 8.5ft
	5ft x 11ft

SECURITY MESH-0.7MM

MESH COUNT SIZE	11
WIRE DIA	0.7mm
COLOUR	Black
AVAILABILITY	Rolls
ROLL SIZE	100ft
WIDTH	3ft
	4ft

Security Casement Screen

Security Casement Screen, 3-Point Locking



The Security Casement Screen is a hinged door screen built for serious home protection. A three-point locking system and impact-resistant 304-grade stainless mesh form a tough barrier for front, rear, or side entrances, and a wide range of powder-coat colours and wood finishes keeps it looking good.

WHY CHOOSE IT

- ✓ **Superior Protection**
Three-point locking and 304 stainless mesh form a tough barrier.
- ✓ **Versatile Fit**
Mounts internally or externally to suit different builds.
- ✓ **Elegant Finishes**
Choose from standard powder-coat colours and wood-look finishes.
- ✓ **Dual Purpose**
Blocks insects and boosts airflow without giving up security.

FEATURES

- Hinged door screens for an effective security barrier.
- Standard three-point locking system for robust security.
- Impact and attack resistant 304-grade stainless steel mesh.
- Suitable for front, side, or rear building facades.
- Wide range of standard powder-coated colors and wooden finishes.
- Mountable internally or externally.
- Provides insect protection and ventilation benefits.
- Movement options: Inswing / Outswing.

SPECIFICATIONS

NET	304, 11×11 – Stainless steel black coated mesh
INSTALLATION	Recessed & Front Mounted
TECHNOLOGY	Corner cleat and screwing
OPENING TYPE	Hinged
MOVEMENT	Inswing / Outswing

SIZE RANGES

SINGLE PANEL

W / H	WIDTH	HEIGHT
Min (Size)	500 mm	1000 mm
Max (Size)	1200 mm	3000 mm

DOUBLE PANEL

W / H	WIDTH	HEIGHT
Min (Size)	1000 mm	1000 mm
Max (Size)	2400 mm	3000 mm

Security Sliding Screens

Security Sliding Screens — Intruder & Insect Proof



Rollon Security Sliding Screens give a strong barrier against intruders across wide patio and deck openings while keeping the outward view clear. Seamless corners and heavy-duty aluminium frames make them virtually unbreakable, and a proven triple-locking system withstands forced entry without sacrificing air, light, or looks.

WHY CHOOSE IT

- ✓ **Unrivaled Strength**
Seamless corners and heavy-duty aluminium make a near-unbreakable barrier.
- ✓ **Wide Openings**
Secures patio and deck doors that are too wide for a hinged screen.
- ✓ **Clear & Airy**
Tightly woven mesh keeps insects out with fresh air and a clear view.
- ✓ **Triple Locking**
Triple locks and robust sliding hardware resist forced entry.
- ✓ **Corrosion-Proof**
Black powder-coated 304 stainless mesh resists corrosion for years.
- ✓ **Made to Measure**
Custom-measured and fitted by a specialist team for your home.

FEATURES

- Heavy duty extruded aluminum perimeter frame for extra strength
- Specialized trained team for custom measurement and fitting
- Powder coat finish for great looks, clear vision, and long life
- Adds security and protection to wider patio and deck door openings
- Smooth-glide sliding panels on robust, heavy-duty door hardware
- All security sliding screen doors fitted with a triple locking system
- Special mesh fixing system to prevent sag and maintain appearance
- 10 years warranty against product defects
- High visibility from inside and low visibility from outside

SPECIFICATIONS

FRAME	Heavy-duty extruded aluminium (up to 5× stronger than standard)
MESH	304 Stainless Steel, plain weave, 11-count, black powder-coated
MOVEMENT	Sliding
OPENING TYPE	Sliding
INSTALLATION	Recessed & Front Mounted
STANDARDS	Manufactured to ISO 9044 / ASTM E2016:06
LOCKING	Triple locking system
WARRANTY	10 years against product defects

SIZE RANGES

SINGLE PANEL

W / H	WIDTH	HEIGHT
Minimum	1000 mm	1000 mm
Maximum	1200 mm	3000 mm

DOUBLE PANEL

W / H	WIDTH	HEIGHT
Minimum	2000 mm	1000 mm
Maximum	2400 mm	3000 mm

Italian Screens

Italian Insect Screens for Large Openings



Italian Screens bring sophisticated European design to insect protection for even the largest doors and windows. They integrate with your home's architecture, operate smoothly and silently, and tuck out of sight when not in use.

WHY CHOOSE IT


- ✓ **SCENIpro®**
Anti-wind guides and silent sliding for large openings, with no floor or side profiles and easy install.
- ✓ **SCENICA®**
A lateral roller screen with just a box and upper track — one 50mm box covers 2m, lockable at any position.
- ✓ **SpanX Screen**
Custom screens spanning up to 6.5m single or 13m double, with an Auto-Stop function and zip-line mesh.
- ✓ **Sideways Screen**
Retractable screens that appear only when needed and store in a smart cassette — ideal for oversized openings.

FEATURES

- Anti-wind guide for enhanced stability in SCENIpro®
- Improved aesthetics and silent operation
- Easy installation and removal of SCENIpro®
- Invisible floor and closure side profiles in SCENIpro®
- Compact 50mm box for SCENICA®
- Ability to cover wide openings with SCENICA® (up to 4m with two leaves)
- Unique handle bar for locking SCENICA® in any position
- Auto-Stop feature in SpanX Screen
- Zip-line mesh for improved performance in SpanX Screen
- Customizable for unique applications and large dimensions

SCENICA®

SCENICA® Lateral Roller Screen — No Floor Track



SCENICA® is a patented, state-of-the-art lateral roller insect screen. Its design uses just a compact box and upper track — no floor or opposite-side track — improving the look and removing barriers, so it suits homes with children, older adults, and wheelchair users.

WHY CHOOSE IT

- ✓ **Trackless Design**
No floor or opposite-side track keeps the entryway clear.
- ✓ **Compact & Efficient**
A slim 50mm box covers 2m of netting, or 4m with two screens.
- ✓ **Lock Anywhere**
A special handle bar locks the screen at any position under tension.
- ✓ **Barrier-Free Access**
No floor track means safe, accessible passage for everyone.
- ✓ **Reversible Fit**
Installs on the right or left with no need to specify when ordering.

FEATURES

- Horizontal sliding spring mechanics for smooth operation.
- Ribbon and buttons are welded with a high-frequency machine for durability.
- Compensating cap supplied as standard allows installation without rear walls to the box.
- Integrated height and width compensation of up to +8mm for a perfect fit.
- Decentralized opening possible (optional).
- Additional side profile for greater sealing (optional).
- 3 mm bottom guide profile (optional).

SPECIFICATIONS

TOTAL BOX DIMENSION	53 mm (57 mm with cap)
HEIGHT AND WIDTH COMPENSATION	Up to +8 mm
MAXIMUM OPENING COVERAGE	4 meters (with two SCENICA® screens)

SIZE RANGES


MIN & MAX LIMIT

W / H	WIDTH	HEIGHT
Single	396-2000mm	680-3400mm
Double	792-4000mm	680-3400mm

*SCENICA® is achievable if the width of each panel is at least 100mm higher.

SCENIpro®

SCENIpro® Sliding Screen, 43mm Box



Bettio's SCENIpro® is a sliding insect screen built for large openings. An anti-wind guide adds stability alongside refined looks and smooth, silent operation, while wide out-of-square adjustment makes fitting and removal easy — all with no floor or side profiles, a taut screen, and secure locking at any position.

WHY CHOOSE IT

- ✓ **Slim & Compact**
Everything fits in a 43mm box for discreet installs in tight spaces.
- ✓ **Drill-Free Install**
A double-tape fixing system installs without drilling or damage.
- ✓ **Silent Sliding**
A quiet, fluid horizontal glide gives a seamless experience.
- ✓ **Wind Resistant**
An anti-wind guide and brush help it handle blustery conditions.
- ✓ **Reversible Fit**
Installs on the right or left with no advance specification.

FEATURES

- Horizontal sliding spring mechanics
- Absence of floor and closure side profiles for a clean look
- Perfectly taut screen in any position
- Any position lock mechanism
- Compensating cap for installation without rear walls
- Width compensation up to +10 mm
- Height compensation up to +12 mm
- Optional decentralized opening

SPECIFICATIONS

TOTAL BOX DIMENSION	43 mm (47 mm with cap)
MECHANICS	Horizontal sliding spring
INSTALLATION	Reversible (right or left), no drilling required with double tape fixing

SIZE RANGES

SINGLE LEAF

W / H	WIDTH	HEIGHT
Minimum	400 mm	930 mm
Maximum	2000 mm	3500 mm


DOUBLE LEAF

W / H	WIDTH	HEIGHT
Minimum	800 mm	930 mm
Maximum	4000 mm	3500 mm

*The height must always be 70 mm taller than the width of each leaf.

Fixed Screens

Fixed Insect Screens in 304 Stainless Mesh



Rollon Fixed Screens are a permanent, unobtrusive barrier against insects and intruders. Precision-built from 304 stainless mesh and extruded aluminium, they keep the outlook clear and suit many architectural styles without cutting natural light or ventilation.

WHY CHOOSE IT

- ✓ **Robust Security**
304-grade stainless steel mesh deters intruders and resists impact.
- ✓ **Clear Views**
High-transparency mesh keeps the outlook open with minimal visual impact.
- ✓ **Durable Frame**
Extruded aluminium framing withstands the elements for years.
- ✓ **Support Options**
Available with or without mid-rails, plus extra support on large screens.
- ✓ **Versatile Fit**
Recessed or front-mounted to suit varied architecture.

FEATURES

- Unwavering strength and security of 304 Grade Stainless Steel Mesh
- Extruded aluminium perimeter framing for enhanced durability
- Excellent clear view for unhindered outdoor visibility
- Optional mid-rails for structural integrity in larger screens
- Innovative corner joint technology for a seamless and strong frame
- Choice of 304 SS Normal Mesh, Vinyl Coated, or Fiber Glass Mesh

SPECIFICATIONS

MOVEMENT	Fixed
INSTALLATION	Recessed & Front Mounted
TECHNOLOGY	Corner joint
OPENING TYPE	Fixed
NET	304 SS Normal Mesh/ Vinyl Coated / Fiber Glass Mesh


SIZE RANGES

W / H	WIDTH	HEIGHT
Min (Size)	300 mm	300 mm
Max (Size)	1000 mm	2400 mm

*2000 width is possible with middle member

Anti Pollen Screens

Anti-Pollen Screens for Clean Indoor Air



The Rollon Anti-Pollen Screen filters the air as it enters your home. Built for polluted urban environments, it traps pollen, dust, dirt, and exhaust soot, letting you open windows for fresh, circulating air without allergens or airborne particles.

WHY CHOOSE IT

- ✓ **Advanced Filtration**
Filters pollen, dust, dirt, and exhaust soot down to the micron level.
- ✓ **Optimized Airflow**
Fresh air circulates freely while pollutants stay outside.
- ✓ **Allergen Barrier**
Blocks birch, grass, nettle, and ambrosia pollen at the window.
- ✓ **Insect Protection**
Keeps out flies, wasps, mosquitoes, midges, and moths.

FEATURES

- PM 2.5 dust control mesh for superior air quality.
- Versatile installation on Tilt & Turn, openable in-swing and out-swing casement windows, as well as sliding and retractable systems.
- Hydraulic brake system ensures smooth and controlled top-to-bottom opening.
- Durable and long-lasting mesh designed for continuous performance.

SPECIFICATIONS

MOVEMENT	Vertical
NET	Pollen screen
INSTALLATION	Recessed & Front Mounted
TECHNOLOGY	Spring With Hydraulic Brake
OPENING TYPE	Top to bottom

SIZE RANGES


MIN & MAX LIMIT

W / H	WIDTH	HEIGHT
Min (Size)	450 mm	450 mm
Max (Size)	1600 mm	1800 mm

*If width is 400-450mm then max. height is upto 1000mm

Fiber Mesh

PVC-Coated Fibreglass Insect Mesh



Fiber Mesh is a woven fibreglass insect mesh coated with PVC, known for its durability. It offers excellent visibility, airflow and UV resistance and resists rust, shrinkage and staining. Available in various mesh sizes and colours, it installs easily in fixed, sliding or roll-up frames for residential and commercial use.

WHY CHOOSE IT

- ✓ **Durable & Rust-Free**
PVC-coated fibreglass resists rust, shrinkage and staining.
- ✓ **Clear Airflow**
The open weave keeps ventilation and visibility high.
- ✓ **UV Resistant**
Holds up to prolonged sun exposure.
- ✓ **Versatile Fit**
Installs in fixed, sliding or roll-up frames.

FEATURES

- Woven fibreglass coated with PVC
- Resists rust, shrinkage and staining
- Fire self-extinguishing within 5 seconds
- Available in various mesh sizes and colours
- Ideal for residential and commercial ventilation

SPECIFICATIONS

MATERIAL	65% PVC, 35% fibre yarn
NO. OF STRANDS	18 × 16 per inch
MESH SIZE	900 / 1000 / 1200 / 1500 / 1800 / 2400 / 3000 mm
WEIGHT	approx 100–120 g/m ²
LENGTH PER ROLL	30.3 m
COLOUR	Black sheen
BREAKING RESISTANCE	1100 times
TENSILE RESISTANCE	Radial 2300 N/25mm, Latitudinal 129 N/25mm
FIRE RESISTANCE	Extinguish within 5 seconds
APPLICATION	Door and window insect screens

Honeycomb Pleated Mesh

Honeycomb Pleated Black-Out Mesh



Honeycomb Pleated Mesh combines style with function through a distinctive hexagonal pattern. Its elegant appearance enhances interiors while providing an effective barrier for residential and commercial spaces, with a black-out finish and UV resistance.

WHY CHOOSE IT

- ✓ **Distinctive Design**
A hexagonal honeycomb structure adds a refined look.
- ✓ **Black-Out Finish**
Provides privacy and light control.
- ✓ **UV Resistant**
Holds up to sun exposure over time.
- ✓ **Colour Choice**
Available in grey, beige and white.

FEATURES


- Polyester with PVC coating
- Hexagonal pleated (accordion) structure
- Black-out visibility for privacy
- UV resistant
- Available in grey, beige and white

SPECIFICATIONS

MATERIAL	Polyester with PVC Coating
DESIGN	Hexagonal Pleated Structure
MESH TYPE	Pleated / Accordion
COLOUR OPTIONS	Grey / Beige / White
UV RESISTANCE	Yes
VISIBILITY	Black-out
APPLICATION	Modern windows & doors

Nettings

Insect Netting for Windows & Doors



Rollon offers a range of netting solutions that keep homes comfortable and insect-free. They fit most window and door openings — uPVC, aluminium, or wood — for a discreet barrier against mosquitoes, flies, and small insects, with excellent airflow.

WHY CHOOSE IT

- ✓ **Insect Protection**
Shields your home from mosquitoes, flies, and small insects.
- ✓ **Enhanced Airflow**
Fresh air circulates freely for a comfortable interior.
- ✓ **Light & Views**
Maximises daylight and keeps outdoor views clear.
- ✓ **Versatile Fit**
Works with uPVC, aluminium, and wooden frames.
- ✓ **Long-Lasting**
Built from fibreglass and stainless steel for a long life.
- ✓ **DIY Options**
A washable Velcro screen curtain offers an easy DIY option.

FEATURES

- Keeps out mosquitoes, flies, and other small insects
- Permits excellent cross-ventilation
- Maintains indoor comfort with fresh air
- Works with uPVC, aluminum, and wooden frames
- Available in various mesh types including fiberglass and stainless steel
- Offers a DIY Velcro Screen Curtain for easy installation and cleaning

SPECIFICATIONS

FIBERGLASS MESH SIZE	16 × 18
SECURITY MESH SIZE	11 × 11
SS MESH SIZE	18 × 18
SUPER MESH SIZE	17 × 14
DIY VELCRO SCREEN KIT SIZE	1000 × 2400mm (w x h)

SIZE RANGES

FIBER MESH ROLL

W / H	WIDTH	HEIGHT
Width Size	3ft.	100ft.
Width Size	4ft.	100ft.
Width Size	6ft.	100ft.

*Colour : Grey / Black

SECURITY MESH

W / H	WIDTH	HEIGHT
Stainless Steel Sheet	3ft	8ft
Stainless Steel Sheet	4ft	9ft
Stainless Steel Sheet	5ft	11ft

*Colour: Black

*Stainless Steel Wire Dia - 0.8mm

SECURITY MESH ROLL

W / H	WIDTH	HEIGHT
Width Size	4ft.	100ft.
Width Size	5ft.	100ft.

*Stainless Steel Wire Dia - 0.7mm

SS MESH ROLL

W / H	WIDTH	HEIGHT
Width Size	3.25ft.	100ft.
Width Size	4ft.	100ft.
Width Size	5ft.	100ft.

*Colour: Black

SUPER MESH ROLL

W / H	WIDTH	HEIGHT
Width Size	3ft.	100ft.
Width Size	4ft.	100ft.
Width Size	10ft.	100ft.

*Colour: Black

Polyester Pleated Mesh

Polyester Pleated Insect Mesh



Polyester Pleated Mesh is a durable, lightweight and flexible insect screen made from polyester. It resists UV rays and weather damage, suiting both indoor and outdoor use, and its pleated design saves space while its soft, fabric-like appearance keeps good visibility.

WHY CHOOSE IT

- ✓ **Soft Fabric Look**
A pleated polyester weave keeps a soft, fabric-like appearance.
- ✓ **UV & Weather Resistant**
Withstands sun and weather for indoor or outdoor use.
- ✓ **Space Saving**
The pleated (accordion) design folds away neatly.
- ✓ **Good Visibility**
Keeps a clear outward view while blocking insects.

FEATURES

- Polyester & PET with PVC coating
- Pleated / accordion mesh type
- 16 mm pleat width
- UV resistant, high weather resistance
- Soft fabric-like appearance

SPECIFICATIONS

MATERIAL	Polyester & PET
COATING	PVC (Polyvinyl Chloride)
MESH TYPE	Pleated / Accordion
MESH SIZE	2100 / 2400 / 2700 / 3000 / 3200 / 3700 mm
PLEAT WIDTH	16 mm
COLOUR OPTIONS	Black
UV RESISTANCE	Yes
WEATHER RESISTANCE	High
APPLICATION	Door and window insect screens

SS Mesh 304 Black

304 Stainless Steel Black Insect Mesh



SS Mesh 304 Black is crafted from high-quality 304 stainless steel finished with a black epoxy coating. It resists corrosion and maintains excellent visibility and ventilation, giving long-lasting protection for security doors and windows without compromising aesthetics.

WHY CHOOSE IT

- ✓ **Corrosion Resistant**
304 stainless steel with a black epoxy coating resists rust.
- ✓ **Clear Matte View**
An 18×18 weave keeps visibility high with a matte finish.
- ✓ **Cut & Rust Resistant**
Stands up to cutting and weathering for lasting security.
- ✓ **Discreet Finish**
The black coating blends into frames while staying durable.

FEATURES

- Stainless Steel Grade 304
- Black epoxy / powder-coated finish
- 18 × 18 mesh for clear view and ventilation
- Excellent corrosion resistance
- Ideal for security doors and windows

SPECIFICATIONS

MATERIAL	Stainless Steel Grade 304
COATING	Black Epoxy / Powdercoated
MESH TYPE	18 × 18
MESH SIZE	1000 / 1200 / 1500 / 1800 mm
LENGTH PER ROLL	30.3 m
COLOUR	Black
CORROSION RESISTANCE	Excellent
APPLICATION	Security doors & windows

SS Pleated Mesh

304 Stainless Steel Pleated Mesh



SS Pleated Mesh is made from 304 stainless steel with a pleated design that allows smooth sliding in retractable screen systems. Its sleek look keeps outside views clear while providing a strong barrier against pests, ideal for doors, large windows and folding systems.

WHY CHOOSE IT

- ✓ **Stainless Strength**
304 stainless steel gives a strong, durable barrier.
- ✓ **Smooth Sliding**
The pleated design slides cleanly in retractable systems.
- ✓ **Clear View**
A sleek weave keeps outside views clear.
- ✓ **Corrosion Resistant**
Excellent resistance for a long service life.

FEATURES

- SS Grade 304 construction
- Pleated / accordion mesh type
- 16 mm pleat width
- Excellent corrosion resistance
- Ideal for doors, large windows and folding systems

SPECIFICATIONS

MATERIAL	SS Grade 304
MESH SIZE	3000 mm
MESH TYPE	Pleated / Accordion
LENGTH PER ROLL	30.3 m
PLEAT WIDTH	16 mm
FINISH	Stainless Steel
COLOUR OPTIONS	Black
CORROSION RESISTANCE	Excellent
APPLICATION	Doors, large windows, folding systems

Ready to screen your opening?

Our team inspects the site, recommends the right profile and quotes a made-to-measure solution. Free site inspection in selected areas.

TALK TO US

Enquiries **+91 95990 25027**

Office **0124 4009 010**

Customer Care / WhatsApp **+91 93107 38885**

sales@rollonscreens.com

<https://rollonscreens.com>

Mon – Sat, 9:00 am – 6:00 pm

VISIT US

Corporate Office

FF-25 MGF, Megacity Mall, MG Road
Gurugram, Haryana - 122001

Manufacturing Unit — Bhiwadi

H-371/372, Chopanki Industrial Area
RIICO Industrial Area, Bhiwadi, Rajasthan - 301019

Manufacturing Unit — Malur

315, KIADB Industrial Estate Phase-III, Road No. 6
Malur Industrial Area, Kolar, Karnataka - 563130

OUR RANGES

Retractable · Pleated · Motorized · Sliding · Security · Italian Range · Specialty · Mesh & Netting